



# Computer Graphics

- Texturing -

**Philipp Slusallek**

# Texture

- **Textures modify the input for shading computations**
  - Either via (painted) images textures or procedural functions
- **Example texture maps for**
  - Reflectance, normals, shadow reflections, ...



# Definition: Textures


---

- **Texture maps texture coordinates to shading values**
    - Input: 1D/2D/3D/4D texture coordinates
      - Explicitly given or derived via other data (e.g. position, direction, ...)
    - Output: Scalar or vector value
  - **Modified values in shading computations**
    - Reflectance
      - Changes the diffuse or specular reflection coefficient ( $k_d, k_s$ )
    - Geometry and Normal (important for lighting)
      - Displacement mapping  $P' = P + \Delta P$
      - Normal mapping  $N' = N + \Delta N$
      - Bump mapping  $N' = N(P + tN)$
    - Opacity
      - Modulating transparency (e.g. for fences in games)
    - Illumination
      - Light maps, environment mapping, reflection mapping
    - And anything else ...
-

# IMAGE TEXTURES

# Wrap Mode

- **Texture Coordinates**
  - $(u, v)$  in  $[0, 1] \times [0, 1]$
- **What if?**
  - $(u, v)$  not in unit square?



# Wrap Mode


---

- Repeat

- Fractional Coordinates

- $t_u = u - \lfloor u \rfloor$

- $t_v = v - \lfloor v \rfloor$



# Wrap Mode

- **Mirror**

- **Fractional Coordinates**

- $t_u = u - [u]$

- $t_v = v - [v]$

- **Lattice Coordinates**

- $l_u = [u]$

- $l_v = [v]$


- **Mirror if Odd**

- if ( $l_u \% 2 == 1$ )

- $t_u = 1 - t_u$

- if ( $l_v \% 2 == 1$ )

- $t_v = 1 - t_v$



# Wrap Mode


- **Clamp**

- **Clamp u to [0, 1]**

```
if (u < 0) tu = 0;  
else if (u > 1) tu = 1;  
else tu = u;
```

- **Clamp v to [0, 1]**

```
if (v < 0) tv = 0;  
else if (v > 1) tv = 1;  
else tv = v;
```






# Wrap Mode

---

- **Border**

- **Check Bounds**

```
if (u < 0 || u > 1
    || v < 0 || v > 1)
    return backgroundColor;
else
    tu = u;
    tv = v;
```



# Wrap Mode

---

- **Comparison**
  - With OpenGL texture modes



GL\_REPEAT



GL\_MIRRORED\_REPEAT





GL\_CLAMP\_TO\_EDGE



GL\_CLAMP\_TO\_BORDER

# Reconstruction Filter

- **Image texture**
  - Discrete set of sample values (given at texel centers!)
- **In general**
  - Hit point does not exactly hit a texture sample
- **Still want to reconstruct a continuous function**
  - Use reconstruction filter to find color for hit point



# Nearest Neighbor

- **Local Coordinates**

- Assuming cell-centered samples
- $u = tu * resU$ ;
- $v = tv * resV$ ;





- **Lattice Coordinates**

- $lu = \min(\lfloor u \rfloor, resU - 1)$ ;
- $lv = \min(\lfloor v \rfloor, resV - 1)$ ;

- **Texture Value**

- return `image[lu, lv]`;

Pixel centred registration



# Bilinear Interpolation

- **Local Coordinates**

- Assuming node-centered samples
- $u = t_u * (\text{resU} - 1);$
- $v = t_v * (\text{resV} - 1);$



- **Fractional Coordinates**

- $f_u = u - \lfloor u \rfloor;$
- $f_v = v - \lfloor v \rfloor;$

- **Texture Value**

- $\text{return } (1-f_u) (1-f_v) \text{image}[\lfloor u \rfloor, \lfloor v \rfloor]$   
+  $(1-f_u) (f_v) \text{image}[\lfloor u \rfloor, \lfloor v \rfloor + 1]$   
+  $(f_u) (1-f_v) \text{image}[\lfloor u \rfloor + 1, \lfloor v \rfloor]$   
+  $(f_u) (f_v) \text{image}[\lfloor u \rfloor + 1, \lfloor v \rfloor + 1]$

Grid node registration



# Bilinear Interpolation



---

- **Successive Linear Interpolations**

- $u0 = (1-fv) \text{ image}[\lfloor u \rfloor, \lfloor v \rfloor]$   
+  $(fv) \text{ image}[\lfloor u \rfloor, \lfloor v \rfloor + 1];$

- $u1 = (1-fv) \text{ image}[\lfloor u \rfloor + 1, \lfloor v \rfloor]$   
+  $(fv) \text{ image}[\lfloor u \rfloor + 1, \lfloor v \rfloor + 1];$

- return  $(1-fu) u0$   
+  $(fu) u1;$



# Nearest vs. Bilinear Interpolation



GL\_NEAREST




GL\_LINEAR

# Bicubic Interpolation

---

- **Properties**
  - Assuming node-centered samples
  - Essentially based on cubic splines (see later)
- **Pros**
  - Even smoother
- **Cons**
  - More complex & expensive (4x4 kernel)
  - Overshoot





# Discussion: Image Textures

---

- **Pros**

- Simple generation
  - Painted, simulation, ...
- Simple acquisition
  - Photos, videos

- **Cons**

- Illumination “frozen” during acquisition
  - Limited resolution
  - Susceptible to aliasing
  - High memory requirements (often HUGE for films, 100s of GB)
  - Issues when mapping 2D image onto 3D object
-

# PROCEDURAL TEXTURES

# Discussion: Procedural Textures

---

- **Cons**

- Sometimes hard to achieve specific effect
- Possibly non-trivial programming

- **Pros**

- Flexibility & parametric control
  - Unlimited resolution
  - Anti-aliasing possible
  - Low memory requirements
  - May be directly defined as 3D “image” mapped to 3D geometry
  - Low-cost visual complexity
-

# 2D Checkerboard Function

---

- **Lattice Coordinates**

- $l_u = \lfloor u \rfloor$

- $l_v = \lfloor v \rfloor$

- **Compute Parity**

- $\text{parity} = (l_u + l_v) \% 2;$



- **Return Color**

- if ( $\text{parity} == 1$ )

- return color1;

- else

- return color0;



# 3D Checkerboard - Solid Texture

---

- **Lattice Coordinates**



- $lu = \lfloor u \rfloor$
- $lv = \lfloor v \rfloor$
- $lw = \lfloor w \rfloor$

- **Compute Parity**

- $parity = (lu + lv + lw) \% 2;$

- **Return Color**

- if ( $parity == 1$ )
  - return color1;
- else
  - return color0;



# Tile

---

- **Fractional Coordinates**

- $fu = u - \lfloor u \rfloor$

- $fv = v - \lfloor v \rfloor$

- **Compute Booleans**

- $bu = fu < mortarWidth;$

- $bv = fv < mortarWidth;$



- **Return Color**

- if ( $bu \parallel bv$ )

- return mortarColor;

- else


- return tileColor;





# Brick

---

- **Shift Column for Odd Rows**
  - $\text{parity} = \lfloor v \rfloor \% 2;$
  - $u -= \text{parity} * 0.5;$
- **Fractional Coordinates**
  - $f_u = u - \lfloor u \rfloor$
  - $f_v = v - \lfloor v \rfloor$
- **Compute Booleans**
  - $bu = f_u < \text{mortarWidth};$
  - $bv = f_v < \text{mortarWidth};$
- **Return Color**
  - if ( $bu \ || \ bv$ )
    - return mortarColor;
  - else
    - return brickColor;



# More Variation







# Other Patterns

---

- **Circular Tiles**



- **Octagonal Tiles**



- **Use your imagination!**
-

# Perlin Noise

---

- **Natural Patterns**

- Similarity between patches at different locations
  - Repetitiveness, coherence (e.g. skin of a tiger or zebra)
- Similarity on different resolution scales
  - Self-similarity
- But never completely identical
  - Additional disturbances, turbulence, noise

- **Mimic Statistical Properties**

- Purely empirical approach
- Looks convincing, but has nothing to do with material's physics



- **Perlin Noise is essential for adding “natural” details**

- Used in many texture functions
-

# Perlin Noise

---

- **Natural Fractals**




# Noise Function

---



- **Noise(x, y, z)**

- Statistical invariance under rotation
- Statistical invariance under translation
- Roughly fixed frequency of  $\sim 1$  Hz



- **Integer Lattice (i, j, k)**


- Value noise
  - Random value at lattice points
- Gradient noise (most common)
  - Random gradient vector at lattice point
- Interpolation
  - Bi-/tri-linear or cubic (Hermite spline,  $\rightarrow$  later)
- Hash function to map vertices to values
  - Essentially randomized look up
  - Virtually infinite extent and variation with finite array of values




# Noise vs. Noise

---

- **Value Noise vs. Gradient Noise**
  - Gradient noise has lower regularity artifacts
  - More high frequencies in noise spectrum
- **Random Values vs. Perlin Noise**
  - Stochastic vs. deterministic



Random values  
at each pixel



Gradient noise

---

# Turbulence Function

---

- **Noise Function**

- Single spike in frequency spectrum (single frequency, see later)

- **Natural Textures**

- Mix of different frequencies
- Decreasing amplitude for high frequencies

- **Turbulence from Noise**

- $Turbulence(x) = \sum_{i=0}^k |a_i * noise(f_i x)|$

- Frequency:  $f_i = 2^i$
- Amplitude:  $a_i = 1 / p^i$
- Persistence:  $p$  typically  $p=2$
- Power spectrum :  $a_i = 1 / f_i$
- Brownian motion:  $a_i = 1 / f_i^2$


- Summation truncation

- 1st term: noise(x)
  - 2nd term: noise(2x)/2
  - ...
  - Until period  $(1/f_k) < 2$  pixel-size (band limit, see later)
-


# Synthesis of Turbulence (1-D)

---


Amplitude : 128  
frequency : 4




Amplitude : 64  
frequency : 8




Amplitude : 32  
frequency : 16



Amplitude : 16  
frequency : 32



Amplitude : 8  
frequency : 64







Sum of Noise Functions = ( Perlin Noise )



# Synthesis of Turbulence (2-D)

---





# Example: Marble



---

- **Overall Structure**

- Smoothly alternating layers of different marble colors
- $f_{\text{marble}}(x,y,z) := \text{marble\_color}(\sin(x))$
- `marble_color` : transfer function (see lower left)

- **Realistic Appearance**

- Simulated turbulence
- $f_{\text{marble}}(x,y,z) := \text{marble\_color}(\sin(x + \text{turbulence}(x, y, z)))$




# Solid Noise

---

- **3D Noise Texture**

- Wood
- Erosion
- Marble
- Granite
- ...




# Others Applications

---

- **Bark**
    - Turbulated saw-tooth function
  
  - **Clouds**
    - White blobs
    - Turbulated transparency along edge
  
  - **Animation**
    - Vary procedural texture function's parameters over time
-

# TEXTURE MAPPING

# 2D Texture Mapping



- **Forward mapping**

- Object surface parameterization
- Projective transformation


- **Inverse mapping**

- Find corresponding pre-image/footprint of each pixel in texture
- Integrate over pre-image

# Surface Parameterization

---

- **To apply textures we need 2D coordinates on surfaces**
  - **Parameterization**
- **Some objects have a natural parameterization**
  - Sphere: spherical coordinates  $(\varphi, \theta) = (2\pi u, \pi v)$
  - Cylinder: cylindrical coordinates  $(\varphi, h) = (2\pi u, H v)$
  - Parametric surfaces (such as B-spline or Bezier surfaces → later)
- **Parameterization is less obvious for**
  - Polygons, implicit surfaces, teapots, ...



# Triangle Parameterization

---

- **Triangle is a planar object**
  - Has implicit parameterization (e.g. barycentric coordinates)
  - But we need more control: Placement of triangle in texture space
- **Assign texture coordinates  $(u,v)$  to each vertex  $(x_o, y_o, z_o)$**
- **Apply viewing projection  $(x_o, y_o, z_o) \rightarrow (x,y)$  (details later)**
- **Yields full texture transformation (warping)  $(u,v) \rightarrow (x,y)$**

$$x = \frac{au + bv + c}{gu + hv + i} \qquad y = \frac{du + ev + f}{gu + hv + i}$$

- In homogeneous coordinates (by embedding  $(u,v)$  as  $(u,v,1)$ )

$$\begin{bmatrix} x' \\ y' \\ w \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \end{bmatrix} \begin{bmatrix} u' \\ v' \\ q \end{bmatrix}; (x, y) = \left( \frac{x'}{w}, \frac{y'}{w} \right), (u, v) = \left( \frac{u'}{q}, \frac{v'}{q} \right)$$

- Transformation coefficients determined by 3 pairs  $(u,v) \rightarrow (x,y)$ 
  - Three linear equations
  - Invertible iff neither set of points is collinear

# Triangle Parameterization (2)

---

- **Given** 
$$\begin{bmatrix} x' \\ y' \\ w \end{bmatrix} = \begin{bmatrix} a & b & c \\ d & e & f \\ g & h & i \end{bmatrix} \begin{bmatrix} u' \\ v' \\ q \end{bmatrix}$$

- **The inverse transform  $(x,y) \rightarrow (u,v)$  is**

$$\begin{bmatrix} u' \\ v' \\ q \end{bmatrix} = \begin{bmatrix} ei - fh & ch - bi & bf - ce \\ fg - di & ai - cg & cd - af \\ dh - eg & bg - ah & ae - bd \end{bmatrix} \begin{bmatrix} x' \\ y' \\ w \end{bmatrix}$$

- **Coefficients must be calculated for each triangle**

- Rasterization

- Incremental bilinear update of  $(u',v',q)$  in screen space
- Using the partial derivatives of the linear function (i.e. constants)

- Ray tracing

- Evaluated at every intersection (via barycentric coordinates)

- **Often (partial) derivatives are needed as well**

- Explicitly given in matrix (colored for  $\partial u/\partial x$ ,  $\partial v/\partial x$ ,  $\partial q/\partial x$ )



# Textures Coordinates


---

- **Solid Textures**

- 3D world/object  $(x,y,z)$  coords  $\rightarrow$  3D  $(u,v,w)$  texture coordinates
- Similar to carving object out of material block

- **2D Textures**

- 3D Cartesian  $(x,y,z)$  coordinates  $\rightarrow$  2D  $(u,v)$  texture coordinates?




# Parametric Surfaces

---

- **Definition (more detail later)**

- Surface defined by parametric function
  - $(x, y, z) = p(u, v)$
- Input
  - Parametric coordinates:  $(u, v)$
- Output
  - Cartesian coordinates:  $(x, y, z)$



- **Texture Coordinates**

- Directly derived from surface parameterization
  - Invert parametric function
    - From world coordinates to parametric coordinates
    - Usually computed implicitly anyway (e.g. in ray tracing)
-

# Parametric Surfaces


---

- **Polar Coordinates**

- $(x, y, 0) = \text{Polar2Cartesian}(r, \varphi)$

- **Disc**

- $p(u, v) = \text{Polar2Cartesian}(R v, 2 \pi u)$  // disc radius R





# Parametric Surfaces

- **Cylindrical Coordinates**

- $(x, y, z) = \text{Cylindrical2Cartesian}(r, \varphi, z)$

- **Cylinder**

- $p(u, v) = \text{Cylindrical2Cartesian}(r, 2 \pi u, H v)$  // cylinder height  $H$



# Parametric Surfaces


---

- **Spherical Coordinates**

- $(x, y, z) = \text{Spherical2Cartesian}(r, \theta, \varphi)$

- **Sphere**


- $p(u, v) = \text{Spherical2Cartesian}(r, \pi v, 2 \pi u)$



# Parametric Surfaces

- **Triangle**


- Use barycentric coordinates directly
- $p(u, v) = (1 - u - v)p_0 + up_1 + vp_2$



# Parametric Surfaces

- **Triangle Mesh**


- Associate a predefined texture coordinate to each triangle vertex
  - Interpolate texture coordinates using barycentric coordinates
  - $u = \lambda_0 p_{0u} + \lambda_1 p_{1u} + \lambda_2 p_{2u}$
  - $v = \lambda_0 p_{0v} + \lambda_1 p_{1v} + \lambda_2 p_{2v}$
- Texture mapped onto manifold
  - Single texture shared by many triangles



# Surface Parameterization

---

- **Other Surfaces**
  - No intrinsic parameterization??






# Intermediate Mapping

---

- **Coordinate System Transform**
  - Express Cartesian coordinates into a given coordinate system
- **3D to 2D Projection**
  - Drop one coordinate
  - Compute  $u$  and  $v$  from remaining 2 coordinates





# Intermediate Mapping

---

- **Planar Mapping**

- Map to different Cartesian coordinate system
- $(x', y', z') = \text{AffineTransformation}(x, y, z)$ 
  - Orthogonal basis: translation + row-vector rotation matrix
  - Non-orthogonal basis: translation + inverse column-vector matrix
- Drop  $z'$ , map  $u = x'$ , map  $v = y'$
- E.g.: Issues when surface normal orthogonal to projection axis





# Intermediate Mapping

---

- **Cylindrical Mapping**

- Map to cylindrical coordinates (possibly after translation/rotation)
- $(r, \varphi, z) = \text{Cartesian2Cylindrical}(x, y, z)$
- Drop  $r$ , map  $u = \varphi / 2 \pi$ , map  $v = z / H$
- Extension: add scaling factors:  $u = \alpha \varphi / 2 \pi$
- E.g.: Similar topology gives reasonable mapping





# Intermediate Mapping

---

- **Spherical Mapping**


- Map to spherical coordinates (possibly after translation/rotation)
- $(r, \theta, \phi) = \text{Cartesian2Spherical}(x, y, z)$
- Drop  $r$ , map  $u = \phi / 2\pi$ , map  $v = \theta / \pi$
- Extension: add scaling factors to both  $u$  and  $v$
- E.g.: Issues in concave regions



# Two-Stage Mapping: Problems

- **Problems**


- May introduce undesired texture distortions if the intermediate surface differs too much from the destination surface
- Still often used in practice because of its simplicity



**Surface concavities can cause the texture pattern to reverse if the object normal mapping is used.**


# Projective Textures

- **Project texture onto object surfaces**
  - Slide projector
- **Parallel or perspective projection**
- **Use photographs (or drawings) as textures**
  - Used a lot in film industry!
- **Multiple images**
  - View-dependent texturing (advanced topic)
- **Perspective Mapping**
  - Re-project photo on its 3D environment



# Projective Texturing: Examples



---



# Slope-Based Mapping

---

- **Definition**
  - Depends on surface normal and predefined vector
- **Example**
  - $\alpha = n \cdot \omega$
  - return  $\alpha$  flatColor + (1 -  $\alpha$ ) slopeColor;






# Environment Map

---

- **Spherical Map**

- Photo of a reflective sphere (gazing ball)
- Photos with a fish-eye camera
  - Only gives hemi-sphere mapping



# Environment Map



---

- **Latitude-Longitude Map**

- Remapping 2 images of reflective sphere
- Photo with an environment camera

- **Algorithm**

- If no intersection found, use ray direction to find background color
- Cartesian coords of ray dir.  $\rightarrow$  spherical coords  $\rightarrow$  uv tex coords




# Environment Map

- **Cube Map**

- Remapping 2 images of reflective sphere
- Photos with a perspective camera


- **Algorithm**

- Find main axis (-x, +x, -y, +y, -z, +z) of ray direction
- Use other 2 coordinates to access corresponding face texture
  - Akin to a 90° projective light



# Reflection Map Rendering

- Spherical parameterization
- O-mapping using reflected view ray intersection




# Reflection Map Parameterization

---


- **Spherical mapping**

- Single image
- Bad utilization of the image area
- Bad scanning on the edge
- Artifacts, if map and image do not have the same view point



- **Double parabolic mapping**

- Yields spherical parameterization
- Subdivide in 2 images (front-facing and back-facing sides)
- Less bias near the periphery
- Arbitrarily reusable
- Supported by OpenGL extensions



# Reflection Mapping Example

---




Terminator II motion picture

# Reflection Mapping Example II


---

- **Reflection mapping with Phong reflection**
  - Two maps: diffuse & specular
  - Diffuse: index by surface normal
  - Specular: indexed by reflected view vector



# Light Maps

- **Light maps (e.g. in Quake)**
  - Pre-calculated illumination (local irradiance)
    - Often very low resolution: smoothly varying
  - Multiplication of irradiance with base texture
    - Diffuse reflectance only
  - Provides surface radiosity
    - View-independent out-going radiance
  - Animated light maps
    - Animated shadows, moving light spots, etc...





Reflectance

Irradiance

Radiosity

$$B(x) = \rho(x) E(x) = \pi L_o(x)$$




Representing radiosity in a mesh or texture



# Bump Mapping



---

- **Modulation of the normal vector**
  - Surface normals changed only
    - Influences shading only
    - No self-shadowing, contour is **not** altered




# Bump Mapping

- **Original surface:**  $O(u, v)$ 
  - Surface normals are known
- **Bump map:**  $B(u, v) \in R$ 
  - Surface is offset in normal direction according to bump map intensity
  - New normal directions  $N'(u, v)$  are calculated based on virtually displaced surface  $O'(u, v)$
  - Original surface is rendered with new normals  $N'(u, v)$



Grey-valued texture used for bump height



# Bump Mapping

$$O'(u, v) = O(u, v) + B(u, v) \frac{N}{|N|}$$

- Normal is cross-product of derivatives:

$$O'_u = O_u + B_u \frac{N}{|N|} + B \left( \frac{N}{|N|} \right)_u$$

$$O'_v = O_v + B_v \frac{N}{|N|} + B \left( \frac{N}{|N|} \right)_v$$

- If  $B$  is small (i.e. the bump map displacement function is small compared to its spatial extent) the last term in each equation can be ignored


$$N'(u, v)$$

$$= O_u \times O_v + B_u \left( \frac{N}{|N|} \times O_v \right)$$

- The first term is the normal to the surface and the last is zero, giving:

$$D = B_u(N \times O_v) - B_v(N \times O_u)$$


$$N' = N + D$$



# Texture Examples

---

- **Complex optical effects**
  - Combination of multiple texture effects



RenderMan Companion



# Billboards

- **Single textured polygons**
  - Often with opacity texture
  - Rotates, always facing viewer
  - Used for rendering distant objects
  - Best results if approximately radially or spherically symmetric
- **Multiple textured polygons**
  - Azimuthal orientation: different view-points
  - Complex distribution: trunk, branches, ...

