
Computer Graphics


History of Computer Graphics Philipp Slusallek

Once upon a time,
the human race was doomed to survive
without having video games,
and our souls were without form, and void,
and darkness was upon the face of the deep,
until the day when...

 1950: The first graphic images are created by Ben Laposky using an oscilloscope to generate waveform artwork produced by manipulating the analog electronic beams.



1951: Designed to support military preparedness, Jay
 Forrester and Robert Everett of the Massachusetts
 Institute of Technology (MIT) produce the Whirlwind, a mainframe computer with a CRT to plot blips representing incoming aircrafts based on radar-gathered data.



1955: Direct descendant of the Whirlwind, the SAGE (Semi-Automatic Ground Equipment) air defense system is designed by Bert Sutherland at MIT. It uses simple vector graphics to display on analog CRTs radar images with a wireframe outline of the region being scanned, as well as the first light pen as an input device that operators would use to pinpoint planes flying over regions of the United States. It becomes a key part of the US missile defense system.



SAGE demonstrated pioneering solutions to the problem of the user interface. The system displayed extremely large amounts of information to its operators using the then-new cathode ray tube; operators could then obtain additional information on aircraft tracks by selecting them with a light gun. Similar techniques are still in use today.







 1959: General Motors and IBM develop "DAC-1" (Design Augmented by Computers), the first industrial CAD system (Computer-Aided Design) used to help engineers design cars. It allows a user to rotate and view a simple drawings.



1960: The term "computer graphics" is coined by William
 A. Fetter at Boeing to describe the new design methods for his human factors cockpit simulations. Two years later, he will create the "First Man" digital human for cockpit studies.



 1961: Spacewar, the first video game, is developed by MIT student Steve Russell for the DEC PDP-1 minicomputer.





1963: For his doctoral thesis at MIT, Ivan Sutherland develops Sketchpad, the first Computer-Aided Drafting and Design (CADD) package allowing shapes to be interactively drawn on a vector-based display monitor using a light pen input device wired into the computer. The light pen uses a small photoelectric cell in its tip to emit an electronic pulse when the pen "sees" the electron beam.






 1963: Larry Roberts develops the first effective hidden-line removal algorithm, the precursor to various subsequent hidden-line and hidden-surface algorithms.











 1963: The mouse is invented by Doug Englebart at the Stanford Research Institute (SRI).



 1965: The digital line drawing algorithm for raster devices developed in 1962 by Jack Bresenham at IBM is published.



 1966: Ivan Sutherland creates the first head-mounted display, the Sword of Damocles, which displays separate wireframe images, allowing depth perception.






 1967: MIT's Center for Advanced Visual Studies is founded by Gyorgy Kepes.



- 1967: Don Greenberg starts a program at Cornell.
- 1968: Dave Evans joins the computer science department at the University of Utah and forms a CG group.
 Sutherland also joins the University of Utah.
- 1968: Frustrated by the lack of graphics hardware available,
 Evans & Sutherland then found their own company.
- 1968: **Intel** is founded.




 1968: Arthur Appel at IBM introduces ray-casting, a precursor to ray-tracing which combines a hidden-surface and shadow algorithm.




- 1969: Initiated by Sam Matsa and Andy vanDam, ACM creates a special interest group on graphics, SIGGRAPH.
 The first SIGGRAPH conference held in Boulder in 1973 counts 1,200 attendees versus about 20,000 nowadays.
- 1969: At the Palo Alto Research Center (PARC) of Xerox, Utah alumni Alan Kay develops the concept of Graphical User Interface (GUI).
- 1969: The first **framebuffer** (with 3 bits per pixel) is built at **Bell Labs**, initiating the transition from vector graphics, i.e. drawing lines between coordinates, to raster video displays containing a value for each pixel on the screen, transforming vector representations into raster format images.

 1971: Gouraud shading is developed by Utah student Henri Gouraud. By interpolating intensity, visual improvements over flat shading may be achieved at a marginal cost.



 1973: The entertainment feature film Westworld makes the first use of 2D animation, while 3D wireframe CGI will first be used 3 years later in its sequel Futureworld.






- 1974: Wolfgang Strasser in his dissertation describes the Z-Buffer, together with Jose Encarnacao he can be seen as the fathers of CG in Germany
- 1974: Utah student Edwin (Ed) Catmull (now president of Walt Disney Animation Studios) develops both the Z-buffer hidden-surface algorithm as well as texture mapping.









1974: Alexander (Alex) Schure, founder of the New York
Institute of Technology (NYIT), creates a new Computer
Graphics Lab, naming Ed Catmull director. Joined by Alvy
Ray Smith and others, the team develops interest in
producing what could have been the first feature-length CGI
film, The Works, but it was never completed.



 1975: Utah student Bui Tuong Phong develops a specular illumination model. He also introduces the interpolation of normals for shading, now known as Phong shading.



 1975: At IBM, mathematician Benoit Mandelbrot introduces geometry of fractional dimension. Fractals are used in computer graphics to create realistic simulations of natural phenomena such as mountains, coastlines, wood grain...



• 1975: Using Bezier patches, Utah student Martin Newell creates a 3D computer model of a physical teapot, now at the Computer Museum in Boston. Serving as a benchmark throughout history, the Utah teapot has become an icon of 3D computer graphics.







• 1975: At the age of 19, William (Bill) Gates III dropped out of Harvard and founds Microsoft with his friend Paul Allen.

Microsoft®


 1976: The CRAY-I Super Computer is introduced and becomes the standard for large-scale scientific computing.




- 1976: Steve Jobs and Steve Wozniak found Apple. After a visit of Xerox's PARC in 1979, introducing the Macintosh in 1984 which will spark the graphical user interface revolution.
- 1977: Utah alumni Frank Crow develops solutions to the aliasing problem, i.e. anti-aliasing.

 1977: The Academy of Motion Pictures Arts and Sciences introduces the category titled Visual Effects for the Oscars. The Best Animated Feature Film Award will then be approved in 2001.

 1977: Utah student James (Jim) Blinn (now at Microsoft Research) presents a new illumination model that considers surface facets, and a year later, introduces bumpmapping.






 1979: George Lucas hires Ed Catmull and many others from the NYIT, to form Lucasfilm's CG team in San Rafael, CA.



 1980: Turner Whitted at Bell Labs (now at Microsoft Research) introduces a general ray tracing paradigm which incorporates reflection, refraction, antialiasing, and shadows.



 1980: The European Association for Computer Graphics is formed and the first EUROGRAPHICS conference held in Geneva.

• 1980: The MIT Media Lab is founded by Nicholas Negroponte.


Massachusetts Institute of Technology

Media Laboratory

 1980: The computer animation production studios Pacific Data Images (PDI) is founded by Carl Rosendahl.



 1981: After some work on fractals while at Boeing in 1980, Loren Carpenter is hired by Lucasfilm and, in collaboration with Cook and Catmull, writes their first renderer, called REYES (Renders Everything You Ever Saw). It included the RenderMan Shading Language (Pat Hanrahan, now Stanford) and would eventually turn into the Renderman rendering engine.



- 1981: IEEE Computer Society starts publishing a new journal, Computer Graphics and Applications.
- 1982: ACM starts publishing Transactions on Graphics TOG.
- 1982: Utah alumni James (Jim) Clark founds Silicon Graphics Inc. (SGI), a leader in producing low-end to high-end graphics workstations and supercomputers.
- 1982: After inventing the Postscript language, Utah alumni John Warnock founds Adobe Systems.
- 1982: Autodesk is founded and AutoCAD released.



Adobe


1982: Lucasfilm computer graphics division develops a one-minute shot for Star Trek II: The Wrath of Khan making the first use of fractal-generated landscape in a film. William (Bill) Reeves leads the Genesis Effect programming team and creates the so-called Particle Systems.





 1982: Disney releases Tron, the first film with 15 minutes of fully computer generated 3D shots including the famous Light Cycle sequence inside a videogame. The movie is now recognized as a landmark despite its box office failure.











• 1984: The first movie to use "integrated CGI" where the effects are supposed to represent real world objects is released. *The Last Starfighter* includes CG spaceships, planets, and high-tech hardware integrated into live-action scenes, but will also be a box office failure.








 1984: Michael Cohen introduces the Cornell Box which will symbolize the approach to physically-based rendering.





1984: Based on heat transfer, Cindy Goral, Kenneth
Torrance, Don Greenberg and Bennett Battaile at Cornell
University introduce Radiosity, allowing realistic renderings.





1984: Part of Lucasfilm's team, Cornell alumni Robert (Rob)
 Cook proposes an extended version of ray-tracing.
 Distribution ray-tracing allows the realistic simulation of motion blur, depth of field, soft shadows, etc...



 1984: Lucasfilm's computer animation division creates The Adventures of André and Wally B., the first all-CGI animated short film, followed by Pixar's Luxo Jr. in 1985.











 1985: Ken Perlin introduces noise functions as a means of creating natural patterns such as marble, wood, ...



 1986: Utah alumni James (Jim) Kajiya (now at Microsoft Research) introduces the Rendering Equation allowing realistic light inter-reflections to be path-traced.




- 1986: The computer graphics division of Lucasfilm splits off as a separate company focused on animated films, Pixar, headed by Ed Catmull and purchased by Steve Jobs.
- 1986: Industrial Light and Magic (ILM), the special effects division of Lucasfilm, starts a CGI group.
- 1986: Mental Images is founded in Berlin, bought by Nvidia in 2007.
- 1989: REYES-based Pixar's RenderMan system is released and a year later its shading language by Jim Lawson and Pat Hanrahan.



P · I · X · A · R

 1991: Although 3D computer graphics debuted in earlier in Disney productions, Beauty and the Beast is the first where hand-drawn characters appear with 3D animated

objects.



 1992: Silicon Graphics Inc. (SGI) releases the Open Graphics Library (OpenGL) specification defining a standard cross-language cross-platform API for computer graphics (now managed by Khronos, being replaced by Vulkan).





 1993: Nvidia is founded, later attracts many engineers from SGI and other companies to become the main graphics HW company (besides ATI and Intel today).

 1995: Pixar Animation Studios produce Toy Story, the first computer-animated full-length feature film, demonstrating the possibilities of CGI graphics in moviemaking.



 1996: The 3D gaming industry sees a breakthrough with the release of *Quake*, lead by *John Carmack* at *ID Software*, which used actual 3-D models in a truly 3-D space.



 2001: Although it fails commercially, Final Fantasy - The Spirits Within is the first feature-length digital film that includes a cast of photorealistic digital actors, stirring the imagination of the press and CG community. Raises awareness of the "uncanny valley".





- More details in:
 - Wayne E. Carlson's timeline:
 http://design.osu.edu/carlson/history/timeline.html
 - Oscar Chavarro's adaptation of Wayne E. Carlson's timeline:
 http://sophia.javeriana.edu.co/~ochavarr/computer_graphics_history/historia/
 - Excerpt from Becoming a Computer Animator by Michael Morrison:
 http://www.danielsevo.com/hocg/hocg_intro.htm
 - Arden Jacob DeCuir's video on the history of 3D CGI: http://www.youtube.com/watch?v=gCj2QNJT4XA


Entertainment Industry: Special effects for motion pictures



Entertainment Industry: Animated films








Industrial Design & Engineering: Automotive / Aerospatial







[© Saarland University]


Scientific/Information Visualization








- Non-photorealistic rendering: art/stylized/pen&ink illustration
- Painterly/Toon Shading, Computational Aesthetics







Nowadays:

- Few but big graphics-hardware vendors: Nvidia, AMD/ATI, Intel...
- Mobile devices and casual gaming taking over
- Few key HW-oriented APIs: OpenGL, DirectX, Vulkan, ...
- Many rendering packages:
 - Arnold, Vray, Iray, Corona, Maxwell, RenderMan, ...
- Many animation studios:
 - ILM, Pixar, PDI/Dreamworks, Digital Domain, ...
- Many game companies:
 - Crytec, Epic/Unreal, Unity, Valve, ID Software, Electronic Arts, Ubisoft, LucasArts, ...
- Interactive 3D graphics on the Web:
 - WebGL, XML3D, X3DOM, WebVR
- Trend toward VR (Oculus, ...) and AR (HoloLens)
- Possible new market beyond games & film/video: predictive rendering
- Graphics is now ubiquitous but there still remains much to be done